

Table 1. Viruses tested by Waite Diagnostics and their effect on vine performance.

Prepared By: Nuredin Habili (Feb. 18th, 2015)

No	Virus	Damage
1	<i>Grapevine leafroll-associated virus 1</i> (GLRaV-1)	Lower yield, light red wine colour, higher acidity, inferior wine quality
2	GLRaV-2	Graft incompatibility, decline
3	GLRaV-3	Lower yield, less colour, higher acidity, inferior wine quality
4	GLRaV-4 (type strain)	Minor
5	GLRaV-4 strain 5	Minor
6	GLRaV-4 strain 9	Minor
7	<i>Grapevine virus A</i> (GVA)	Graft incompatibility, stem grooving, Shiraz Disease, decline
8	<i>Grapevine virus B</i> (GVB)	Corky Bark strain is not present in Australia; symptomless strain is present
9	<i>Grapevine fleck virus</i> (GFkV)	Graft incompatibility, most varieties can tolerate it. Rootstocks should be free of this virus
10	<i>Grapevine fanleaf virus</i> (GFLV)	Major yeild and quality loss. We are now certain that Australia is free of this virus
11	<i>Grapevine red blotch-associated virus</i> (GRBV)	Reduces sugar and yield, not detected in Australia
12	<i>Grapevine Pinot girs virus</i>	fanleaf-like symptoms, not detected in Australia, affects most varieties
13	<i>Grapevine rupestris stem pitting-associated virus</i>	Minor
14	Syrah Decline isolate of GRSPaV	Graft incompatibility, stem pitting on Paulsen 1103
16	<i>Grapevine rupestris vein feathering virus</i>	Minor, not detected in Australia, although it may be present